Source: Legal > Area of Law - By Topic > Patent Law > Patents > U.S. Patents > Utility Patents (i)

Terms: patno=4823070 (Edit Search)

#### 07082989 (07) 4823070 April 18, 1989

# UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT 4823070

Access PDF of Official Patent. (Note: Cost incurred in a later step)

The Adobe Acrobat Reader must be installed on your computer to access Official Patent text. If you do not have this FREE reader, you can download it now from <a href="www.adobe.com">www.adobe.com</a>.

## Link to Claims Section ◆ GET 1st DRAWING SHEET OF 8

April 18, 1989

Switching voltage regulator circuit

**REISSUE:** December 10, 1996 - Reissue Application filed Dec. 10, 1996 (O.G. Aug. 12, 1997) Ex. Gp.: 2111; Re. S.N. 08/794,374Reissue Application filed Nov. 16, 1995 (O.G. Mar. 26, 1996) Ex. Gp.: 2111; Re. S. N. 08/558,024Reissue Application filed Apr. 10, 1991 (O.G. May 21, 1991) Ex. Gp.: 212August 12, 1997

INVENTOR: Nelson, Carl T., San Jose, CA

APPL-NO: 07082989 (07)

FILED-DATE: August 3, 1987

GRANTED-DATE: April 18, 1989

ASSIGNEE-AT-ISSUE: Linear Technology Corporation, Milpitas, CA

**LEGAL-REP:** Rogers, Laurence S.

PUB-TYPE: April 18, 1989 - Utility Patent having no previously published pre-grant

publication (A)

**PUB-COUNTRY:** United States (US)

**REL-DATA:** 

Addition of Ser. No. 932158, November 18, 1986

**US-MAIN-CL:** 323#285

**US-ADDL-CL:** 323#299, 363#021


SEARCH-FLD: 363##20 , 363##21 , 363##97 , 363##131 , 323##282 , 323##284 ,

323##285, 323##299, 323##267

**IPC-MAIN-CL:** G 05F001#563

**PRIM-EXMR:** Salce, Patrick R.

**ASST-EXMR:** Peckman, Kristine



 $\underline{\text{Copyright}\, \textcircled{o}} \ \ \text{2002 LexisNexis, a division of Reed Elsevier Inc. All rights reserved}.$ 

WELCOME to QUESTEL.ORBIT- Your Guide to INTELLECTUAL PROPERTY Selected file: PLUSPAT

PLUSPAT - (c) Questel-Orbit, All Rights Reserved.

Comprehensive Worldwide Patents database

New Patent Citation Commands & FAM Citation Report - see INFO PATCITE

Last update of file: 2002/12/05 (YYYY/MM/DD) 2002-48/UP (basic update)

Search statement 1

?us4823070/pn

\*\* SS 1: Results 1

Search statement 2

?prt fu legalall max

1/1 PLUSPAT - (C) QUESTEL-ORBIT- image

CPIM (C) Questel-Orbit

PN - US4823070 A 19890418 [US4823070]

TI - (A) Switching voltage regulator circuit

PA - (A) LINEAR TECHN INC (US)

IN - (A) NELSON CARL T (US)

AP - US8298987 19870803 [1987US-0082989]

PR - US8298987 19870803 [1987US-0082989]

- US93215886 19861118 [1986US-0932158]

EC - H02M-001/00S

- H02M-003/335C

- H02M-003/335C4

PCL - ORIGINAL (O): 323285000; CROSS-REFERENCE (X): 323299000

DT - Basic

CT - US4146832; US4209826; US4253137; US4425612; US4641229; US4652808

- Data sheet, "Switching Dc-to-DC Microconverters--LSH 6300 Series", date unknown.

Data sheet, Unitrod UC 1846 Current Mode PWM Controller integrated circuit, 12/83.

Documents relating to the Linear Technology Corporation LT-1070 integrated circuit.

STG - (A) United States patent

AB - An integrated circuit for use in implementing a switching voltage regulator, the integrated circuit including a power switching transistor, driver circuitry and control circuitry, which is operable in a normal feedback mode or an isolated flyback mode. The integrated circuit includes shutdown circuitry for placing the regulator in a micro-power sleep mode, and can be packaged in a five-pin conventional power transistor package. The terminals of the integrated circuit regulator perform multiple functions. A compensation terminal is used for frequency compensation, current limiting, soft-start operation and shutdown. A feedback terminal is used as a feedback input when the integrated circuit is in feedback mode, and as a logic pin to program the regulator for isolated flyback operation. The feedback terminal is also used to trim the flyback reference voltage.

1/1 LGST - (C) LEGSTAT \*
PN - US 4823070 [US4823070] \*

```
AP - US 82989/87 19870803 [1987US-0082989]
DT - US-P
ACT - 19870803 US/AE-A
     APPLICATION DATA (PATENT)
     {US 82989/87 19870803 [1987US-0082989]}
    - 19890418 US/A
     PATENT
   - 19910521 US/RF
     REISSUE APPLICATION FILED
     910410
    - 19960326 US/RF
     REISSUE APPLICATION FILED
     951116
    - 19970812 US/RF
     REISSUE APPLICATION FILED
     961210
UP - 1997-38
1/1 CRXX - (C) CLAIMS/RRX
AN - 1935445
   - 4,823,070 A 19890418 [US4823070]
PA - LINEAR TECHNOLOGY CORP
   - E (Electrical)
ACT - 19910410 REISSUE REQUESTED
     Issue Date of O.G.: 19910521
     Reissue Request Number: 07/683549
     Examination Group responsible for Reissue process: 212
    - 19951116 REISSUE REQUESTED
     Issue Date of O.G.: 19960326
     Reissue Request Number: 08/558024
     Examination Group responsible for Reissue process: 2111
    - 19961210 REISSUE REOUESTED
     Issue Date of O.G.: 19970812
     Reissue Request Number: 08/794374
     Examination Group responsible for Reissue process: 2111
UP - 1999-00
1/3 PAST - (C) Thomson Derwent
AN - 199732-001445
PN - 4823070 A [US4823070]
DT - A (UTILITY)
OG - 1997-08-12
CO - REA
ACT - REISSUE APPLICATION FILED
SH - REISSUE APPLICATION FILED
2/3 PAST - (C) Thomson Derwent
AN - 199613-000643
PN - 4823070 A [US4823070] /
DT - A (UTILITY)
OG - 1996-03-26
CO - REA
ACT - REISSUE APPLICATION FILED
SH - REISSUE APPLICATION FILED
```


Darcy Bates

3/3 PAST - (C) Thomson Derwent

```
AN - 199105-001581
  PN - 4823070 A [US4823070]
  DT - A (UTILITY)
  OG - 1991-05-21
  CO - REA
  ACT - REISSUE APPLICATION FILED
  SH - REISSUE APPLICATION FILED
                     2
  Search statement
?file inpadoc
 Selected file: INPADOC
  You are now connected to INPADOC
  Covers 1968/1973 thru weekly updates (2002-49)
  For information on content, (..) INFO INPD.
  Search statement 1
?fam us4823070/pn
  1 Patent Groups
  ** SS 1: Results 1
  Search statement
?famstate nonstop
  1/1 INPADOC - (C) INPADOC
  PN - US 4823070 A 19890418 [US4823070]
  TI - SWITCHING VOLTAGE REGULATOR CIRCUIT
  IN - NELSON CARL T [US]
  PA - LINEAR TECHN INC [US]
 AP - US 82989/87-A 19870803 [1987US-0082989]
  PR - US 932158/86-A1 19861118 [1986US-0932158]
  IC - G05F-001/563
  1/1 LEGALI - (C) LEGSTAT
 PN - US 4823070 [US4823070]
AP - US 82989/87 19870803 [1987US-0082989]
DT - US-P
  ACTE- 19870803 US/AE-A
        APPLICATION DATA (PATENT)
        {US 82989/87 19870803 [1987US-0082989]}
      - 19890418 US/A
        PATENT
      - 19910521 US/RF
        REISSUE APPLICATION FILED
        910410
      - 19960326 US/RF
        REISSUE APPLICATION FILED
        951116
```

12/10/02 US 4,823,070 07/683549

- 19970812 US/RF REISSUE APPLICATION FILED 961210 UP - 1997-38



| <b>©</b> LexisNexis |          | Practice A          | Area Pages )       | Change Client  | Options       | Feedback  | Sign Off | Help )  |          |
|---------------------|----------|---------------------|--------------------|----------------|---------------|-----------|----------|---------|----------|
|                     | Search S | earch Advisor 🔪 Ge  | t a Document) Shep | oard's ® - Che | ck a Citation | Section 2 | ECUPSE** | History | <b>B</b> |
|                     | Sources  | Guided Search Forms | Command Searching  |                |               |           |          |         |          |


<u>Legal > Area of Law - By Topic > Patent Law > Legal News > Patent, Trademark & Copyright Periodicals, Combined (1)</u>

| Enter Search Terms                           |  |                 |                         |
|--|--|-----------------|-------------------------|
| Terms and Connectors Natural Langu           | age  |                 |                         |
| 4823070 or 4,823,070                         | enterviewe, usos distribilità de plus dispetatione, col per entites view, come cui uso différente. | <b>△</b> Search |                         |
|  |  |                 |                         |
| Use connectors to show relation of terms (ca | it <b>or</b> feline, jane <b>w/3</b> doe   | e) more         |                         |
| Suggest Words and Concepts for               | or Entered Terms   |                 |                         |
| Restrict Search Using Documen                | t Segments   |                 | tt. da e e<br>e sales f |
| Optional: Restrict by Date                   |  |                 |                         |
| ● No Date Restrictions ▼ ○ I                 | From [   | To              |                         |
|  | 10 cm 10 cm #41 1  |                 |                         |

Search | Search Advisor | Get a Document | Shepard's ® - Check a Citation

Eclipse ™ | History | Delivery Manager | Practice Area Pages | Change Client | Options | Feedback | Signoff | Help

About LexisNexis | Terms and Conditions



#### No Documents Found

No documents were found for your search (4823070 or 4,823,070) ? Please edit your search and try again. You may want to try one or more of the following:

- · Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

About LexisNexis | Terms and Conditions

| Lexis    | Vexis-              | (Practice Area Pages) (Change Client   Options   Foodback   Sign Off   Help |
|----------|---------------------|---|
| Search S | earch Advisor 🔰 Ge  | t a Document > Shepard's - Check a Citation > ECLIPSE** History             |
| Sources  | Guided Search Forms | Command Searching   |

Legal > Area of Law - By Topic > Patent Law > Multi-Source Groups > Patent Cases from Federal Courts and Administrative Materials (i)

| Enter Search Terms  |                |
|---|----------------|
| Terms and Connectors Natural Language   |                |
| 4823070 or 4,823,070  | Search         |
| Use connectors to show relation of terms (cat or feline, jane w/3 does Suggest Words and Concepts for Entered Terms | e) <u>more</u> |
| Restrict Search Using Document Segments  Optional: Restrict by Date   |                |
| No Date Restrictions     From   | To             |

Search | Search Advisor | Get a Document | Shepard's ® - Check a Citation

Eclipse ™ | History | Delivery Manager | Practice Area Pages | Change Client | Options | Feedback | Signoff | Help

About LexisNexis | Terms and Conditions


#### No Documents Found

No documents were found for your search (4823070 or 4,823,070) Please edit your search and try again. You may want to try one or more of the following:

- Check for spelling errors.
- Remove some search terms.
- Use more common search terms.
- If applicable, look for all dates.

Edit Search

#### About LexisNexis | Terms and Conditions



News & Business > News > News Group File, All (1)

| Enter Search Terms  |                      |
|---|----------------------|
| Terms and Connectors Natural Language                                       |                      |
| 4823070 or 4,823,070  | <b>Search</b> Search |
|   |                      |
| Use connectors to show relation of terms (cat or feline, jane w/3 doe) more |                      |
| Suggest Words and Concepts for Entered Terms                                |                      |
| Restrict Search Using Document Segments                                     |                      |
| Optional: Restrict by Date  |                      |
| No Date Restrictions ▼ O From To  |                      |

Search | Search Advisor | Get a Document | Shepard's ® - Check a Citation

Eclipse ™ | History | Delivery Manager | Practice Area Pages | Change Client | Options | Feedback | Signoff | Help

About LexisNexis | Terms and Conditions

#### No Documents Found

No documents were found for your search (4823070 or 4,823,070). Please edit your search and try again. You may want to try one or more of the following:

- · Check for spelling errors.
- Remove some search terms.
  Use more common search terms.
  If applicable, look for all dates.

Edit Search

#### About LexisNexis | Terms and Conditions

# **YGOO BUBALIAVA TEBB**

L296-L296P

· Crowbar Protection

京都 一年 一年

a.gure 46.

51V/2A ---

times obtained with

tois 200 us 300 us 600 µs

ong, an external shown in Fig. 45 a few microse

京の大学 できる

4. 3 , 152

### TO CETAIN BOTH RESET AND POWER FAIL

glue conates how it is possible to obtain at the time point the power fair and reset func-ency cyladding one diode (E) and one resis-


case the reset delay time icin 13) can only - when the pulpul voltage is Vol. 2 /agr - 100 mV 

men, precess resistor it is possible to fix the in-

but a n 12 h, steresis in order to increase immunity to the 101 Hz habit present on the supply voltage

Moreover, the power fail and reset delay time are automatica - locked to the soft start. Soft start and derayed reset are thus two sequential functions.

The hysteresis resistor should be in the range of about 100 Kill and the pull-up resistor of 1 to 2.2 Kill.



## BEST AVAILABLE COPY

23/23

251